

# General Index

## A

- Acanthohaustorius* sp., 158-61
- Acartia*, 46
  - clausii*, 74-6, 80-1
  - tonsa*, 48-9, 74-6, 80-1
- Acer rubrum*, 154-204
- Acnida cannabina*, 150, 153
- Acorus Calamus*, 154
- Acrochaetium* spp., 58, 59
  - compactum*, 58
  - crassipes*, 58
  - moniliforme*, 58
  - parvulum*, 58
  - trifidum*, 58-59
  - virgatum*, 58-59
- Age composition
  - striped bass, 224-6
- Age-growth analysis
  - scup, 211
- Algae, 56-59
  - macrophytic, 152
  - marine, 56
    - habitat studied, 56-7
- Alnus serrulata*, 153
- Althea officinalis*, 153
- American eel
  - See eel, American
- Amphidinium fusiiforme*, 202
- Amphipods,
  - intertidal sand beach
    - abundance, 157-161
    - distribution, 157-161
- Anacharis* sp., 84
- Anchoa mitchilli*, 77
- Anderson, R. R., R. G. Brown, and R. D. Rappleye, 145-56
- Anguilla anguilla*, 94, 107
  - japonica*, 97
  - rostrata*, 87, 89-91, 94
- Anodonte imbecilis*, 100
- Antigens
  - erythrocyte, 94-7
- Antiserum absorptions, 96
- Aphredoderus sayanus*, 87, 89, 91
- Apios americana*, 151, 153
- Aptesis* sp., 143
- Argulus* sp., 75-6
- Arnoglossus*, 111
- Artemia*, 122
- Arthropoda, 19
- Asabellides oculata*, 167
- Asclepias incarnata*, 149-51, 153
- Ascophyllum nodosum*, 152
- Aster pumiceus*, 154
  - tenuifolius*, 153
- Atriplex patula*, 150, 151, 153,
- Aurelia aurita*, 75, 77
- Axillary glands
  - toadfish, 182-197

## B

- Baccharis halimifolia*, 149, 153
- Balanus* sp., 75
  - concaus*, 61-2
  - glyptopoma*, 61
  - eburneus*, 61-2

- Bangia fusco-purpurea*, 57, 59
- Barnacle, 61-2
  - cyprids, 77
  - developmental, 74
  - fossil, 61-2
  - nauplii, 77
- Bayley, S. H. Rabin, and C. H. Southwick, 173-81
- Benthic community formation, 163-72
  - natural vs. selected populations, 171-2
  - pond association, 168-71
  - species, invasion sequence, 166-68
  - standing crop estimates, 171
- Beroe ovata*, 75, 77
- Bidens frondosa*, 154
  - laevis*, 152, 154
- Biggs, R. B. 261-2
- Bivales, 248
- Blow-fish
  - See northern puffer, 136
- Boehmeria cylindrica*, 153
- Boon, J. D., III and W. G. MacIntyre, 21-26
- Boron, 21-26
- Boron-salinity relationship, 21-2, 24-26
- Bosmina* sp., 75-7
- Bothus*, 111
- Brachiodontes recurvis*, 167
- Brachyura, 18
- Bravoortia tyrannus*, 203
- Brown, R. G., R. R. Anderson and R. D. Rappleye, 145-56
- Bulrush, 84
- Butterfish,
  - ctenophore, predation relationship, 81

## C

- Calcium
  - sediments, 258
- Caligus* sp., 75
- Calithamnion baileyi*, 58, 59
- Callinassa californiensis*, 11
- Calothrix*, 57
  - confervicola*, 57
- Carbon
  - inorganic
    - sediments, 257
  - organic
    - sediments, 257
  - uptake
    - killifish, 233-7
- Carex alata*, 154
  - albolutescens*, 154
  - annectens*, 154
  - comosa*, 154
  - crinita*, 153-4
  - lupulina*, 154
  - lurida*, 153
  - stipata*, 153
- Carinogammarus mucronatus*, 166-8
- Cassia fasciculata*, 153
- Castanea dentata*, 204
- Catch trends, Virginia scup, 208-9
- Catostomus commersoni*, 87, 89-91
- Centropistes striatus*, 208
- Cephalanthus occidentalis*, 153
- Ceramium fastigiatum*, 58-9
  - rubrum*, 58-9, 152
  - strictum*, 58-9
- Chaetomorpha aerea*, 59
- Chapman, G. B. and S. H. Vernick, 182-197
- Chara* spp., 178
- Chesapeake Bay,
  - sediments, 254-260
- Chironomid larva, 167
- Chlamydomonas*, 244
- Chlorination,
  - sewage, 83-4
- Chlorochytrium moorei*, 59
- Chlorophyll *a*, Patuxent River, 73, 79
- Chondrus crispus*, 58
- Chrysaora*, 77
  - quinquecirrha*, 75, 77
- Cicuta maculata*, 153
- Ciliate, peritrichous, 74, 81
- Citharus*, 111
- Cladocera, 77
- Cladoceran, 63
- Cladophora crystallina*, 152
- Clam, 240-2, 4-7
  - bottom substrate, 238-48
  - detritus accumulation, 243-6
  - growth, 99-101
  - meat weight: shell weight ratio, 241
  - mortality, 240-1
  - parasite, 198-201
  - phosphate accumulation, 243, 246-7
  - shell growth, 241-3
- Clarias lazera*, 6
- Clinostomus funduloides*, 87, 89, 91
- Cochlodinium* sp., 202
- Coelenterates, 74, 77, 79-80
  - zooplankton, relationship, 80
- Commelina communis*, 153
- Conchocoelis*, 59
- Conductivity, sewage, 86-88, 90-1
- Cones, H. N., Jr., 61-2
- Conger leucophaeta*, 100
- Copepod, 74-5, 79-80
- Corylus* sp., 204
- Cornus Amomum*, 153
- Crabs, developmental, 74
  - Hermit, 9, 15-18, 20
    - cleaning behavior, 17-18
    - feeding, food morsels, 16-7
    - feeding behavior
      - sand substrate, 15-6
    - mouth parts, 12-4
    - functional
      - morphology, 18-20
      - setal, 10-11
- Crangon septemspinosa*, 75, 77
- Crassostrea virginica*, 198, 202
- Croaker, 208
- Croaker, R. A., 157-62

- Ctenophores, 73-4, 77, 79-81  
 butterfly, predation relationship, 81  
 harvest fish, predation relationship, 81  
 zooplankton, relationship, 80
- Culaea inconstans*, 107
- Cumacid, 75
- Current meter, 52-3, 55
- Cuthoid nudibranch, 265
- Cyanophyta, 57-9
- Cyathura polita*, 161
- Cyclops*, 77  
*viridus*, 75-6
- Cymadusa compta*, 166-8
- Cypreris strigosus*, 154  
*refractus*, 154
- Cyprinodontidae, 263
- Cyprinodon variegatus*, 263
- Cyprids, Barnacle, 77
- Cyprinus carpio*, 89
- D**
- Dardanus arrosor*, 9
- Daphnia* sp., 75-77
- Decodon verticillatus*, 153
- Deubler, E. E. and A. B. Williams, 27-41
- Dinoflagellate, 202-4  
 bloom, 202-4  
 mullet food source, 202-4  
 parasitic, 263
- Diogenes brevisrostris*, 9, 18
- Diogenidae, 19
- Distichlis spicata*, 149, 153
- DO, sewage, 83, 86-8, 90-2
- Dryopteris disjuncta*, 204
- Duke, T. W., D. B. Horton, and K. R. Tenore, 238-248
- Dulichium arundinaceum*, 153
- E**
- Echinochloa Walteri*, 153
- Ectocarpus siliculosus*, 152
- Eel  
 American, 94-8  
 antigens,  
 erythrocyte, 94-7  
 antiserum absorption, 96  
 isoagglutination, 96  
 isoagglutinins, 95-8  
 European, 94
- Eggs, fish, 74-5, 77
- Eh  
 sediments, 257
- Eleocharis palustris*, 150-1, 153
- Elodea, 178  
*canadensis*, 174, 178  
*elymus virginicus*, 153  
*elysia chlorotica*, 167
- Enneacanthus gloriosus*, 86-7, 89, 91-2
- Enteromorpha*, 57-9  
*compressa*, 58-9  
*intestinalis*, 58-9, 152  
*linza*, 58-9, 152  
*micrococca*, 58-9  
*minima*, 58-9  
*prolifera*, 58-9
- Entophysalis deusta*, 57  
*conferta*, 57
- Environmental characteristics  
 Patuxent River, 70-3, 78-9  
 chlorophyll *a*, 73, 79  
 nitrate, 73, 79  
 nutrients, 72-3  
 phosphate, 73, 79  
 salinity, 71-2, 78  
 silicate, 73, 78-9  
 temperature, 70-1, 78  
 turbidity, 72, 78
- Eolid nudibranch, 264
- Erethizon dorsatum*, 138
- Erichsonella attenuata*, 167
- Erimyzon oblongus*, 87, 89, 91
- Esox americanus*, 87, 89, 91
- Esox niger*, 89, 91
- Eteone heteropoda*, 167
- Etheostoma olmstedii*, 87, 89-91  
*vitreum*, 87-9, 91
- Eucalia inconstans*, 107
- Euceros* sp., 143
- Euceramus*, 127-9  
*praelongus*, 121, 123-4, 126, 128  
 larval development, 121-30  
 megalopa, 125-7  
 planktonic larvae, 127  
 zoea, 122-5
- Eupatorium serotinum*, 153  
*perfoliatum*, 153
- Eurasian water milfoil, 173-81  
 bacterial isolations, 178-9  
 disease studies, 178  
 distributional surveys, 174-8  
 filterable agent, 179-80
- European eel, 94
- Eurypanopeus depressus*, 75, 77
- Eurytemora*, 77  
*affinis*, 74-6, 80-1
- Evadne*, 202
- Ezoglossum maxillingua*, 87, 91
- F**
- Fish  
 age composition, 224-6  
 age growth analysis, 211  
 antigens  
 erythrocyte, 94-8  
 antiserum absorption, 96  
 axillary glands, 182-97  
 blood glucose, 1-7  
 blood sugar-age relationship, 4-5  
 -hormone regulation, 1, 7  
 -length relationship, 4-5  
 seasonal changes, 3  
 temperature dependence, 1-7  
 -weight relationship, 4-5  
 carbon uptake, 233-7  
 catch size composition, 210-1  
 catch trends,  
 Virginia, 208-9  
 eggs, 74-5, 77  
 gill net harvest efficiency, 228  
 gill net selection, 220-2  
 girth, 249-53  
 growth, 252-3  
 isoagglutination, 96  
 isoagglutinins, 94-98  
 larvae, 74-5, 77  
 length, 249-53  
 weight relationship, 211-2  
 weight and girth relations, 249-53  
 management, 228-230  
 migration patterns, 222-4  
 osteology, 109-20  
 population recovery  
 sewage, 90  
 reduction  
 sewage, 86-90  
 regional fisheries, 208  
 sewage, 83-92  
 sex ratio, 212, 226-8  
 size composition, 224-6  
 tolerance  
 salinity, 103-8  
 temperature, 103-8  
 trawl fishery methods  
 Virginia, 209  
 weight, 249-53  
 change, 105-7
- Fimbristylis castanea*, 153
- Flounders  
 osteology  
 comparative, 109-20
- Foerster, J. W., 52-5
- Franz, D. F., 264-6
- Fucus vesiculosus*, 58-9
- Fundulus*, 234-6  
*heteroclitus*, 234, 263  
*luciae*, 263  
*majalis*, 234, 263
- G**
- Galateid, 128
- Galatheididae, 18
- Galium obtusum*, 154  
*tinctorium*, 151-3
- Gammarus*, 78  
*fasciatus*, 75-6
- Gambusia affinis*, 89
- Gemma*, 168  
*gemma*, 168
- Genys, J. B., 139-41
- Giffordia duchassaingiana*, 58-9
- Gill net  
 harvest efficiency,  
 striped bass, 220-2  
 selection,  
 striped bass, 220-2
- Girth, toadfish, 249-53
- Gobiosoma*, 77  
*bosci*, 77
- Gontotrichum alsidii*, 58-9
- Gonyaulax*, 202  
*polyedra*, 202
- Goodwyn, F., 63
- Gracilaria* sp., 40  
*confervoides*, 152  
*foliifera*, 58-9
- Grainsize, optical,  
 sediments, 261-2
- Gratiola virginica*, 153
- Growth  
 clam, 99-101  
 curve, von Bertalanffy, 100-1  
 toadfish, 252-3
- Gulf flounder, 109
- Gymnodinium* sp., 202  
*breve*, 202

## H

- Hanks, R. W., 163-72  
 Harman, D. M., 141-3  
   and T. Thoeig, 138-9  
 Harpacticoida, 75  
 Harvest fish  
   ctenophore, predation relation-  
   ship, 81  
 Hassler, W. W., and L. Trent, 217-  
   32  
 Haustoriidae, 157  
 Haustorius sp., 158-9, 161  
 Herman, S. S., A. J. McErlean, and  
   J. A. Mihursky, 67-82  
 Hermit crab  
   see crab, hermit  
 Hibiscus *paustris*, 149-51, 153  
 Horton, D. B., Duke, T. W., and  
   K. R. Tenore, 238-48  
 Humm, H. J., J. K. Lowry, B. H.  
   Robison, B. L. Wulff,  
   and E. M. Wulff, 56-60  
 Hybopsis *micropogon*, 87, 89  
 Hydrobia *minuta*, 168  
 Hypentelium *nigriscan*, 87  
 Hypericum *dissimulatum*, 153

## I

- Ictalurus*, 107  
   *catus*, 103-4, 106-7  
   *furcatus*, 104  
   *lacustris*, 104  
   *melas*, 104  
   *natalis*, 87, 104  
   *nebulosus*, 87, 89, 91, 103-4, 107  
   *punctatus*, 104, 107  
 Impatens *biflora*, 150-3  
 Iris *versicolor*, 154  
 Iron,  
   sediments, 258  
 Isoagglutination, 96  
 Isoagglutinins, 95-8  
 Iva *frutescens*, 149, 153

## J

- Juncus acuminatus*, 151, 153  
   *acuminatus*, 153  
*Juncus effusus*, 154  
   *Gerardi*, 153

## K

- Kalmia* sp., 204  
 Kendall, A. W., and F. J. Schwartz,  
   103-8  
 Killifish, 234  
   carbon uptake  
   ovary, 233-7  
   thyroid, 233-7  
 Krantz, G. E., and C. J. Sinder-  
   mann, 94-9  
 Kryptoperidinium, 202, 203, 204  
   sp., 202

## L

- Labidocera aestiva*, 75-6  
*Labyrinthomyza marina*, 198-9  
*Lactuca canadensis*, 154  
 Larch  
   intraspecific variation, 139-41  
   performance, 139-41

- Larch sawfly, 141-3  
   distribution, 141-3  
*Larix* sp., 139  
   *decidua*, 139-40  
   *decidua x leopolepis*, 140  
   *gmelini*, 139-40  
   *griffithiana*, 139  
   *laricina*, 139, 142  
   *leptolepis*, 139-40  
   *lyallii*, 139  
   *mastersiana*, 139  
   *occidentalis*, 139-40, 142  
   *potaninii*, 139  
   *sibirica*, 139-40  
 Larson, J. S., 204-6  
 Larvae  
   fish, 74-5, 77  
   shrimp, 77  
 Lawler, A. R., 263  
 Least significant difference (*lsd*),  
   240-3  
*Leerzia oryzoides*, 151-2, 154  
 Length-weight relationship,  
   scup, 211-2  
 Length-weight & girth relations,  
   toadfish, 249-53  
*Lepidactylus dytiscus*, 158-9, 161  
*Leptodora*, 77  
   *kindti*, 63, 75-6  
*Lepomis auritus*, 87, 89, 91  
   *cyanelus*, 87, 89  
   *gibbosus*, 87, 89-91  
   *macrochirus*, 86-7, 89-92  
*Littorina irrorata*, 75-6  
*Lobelia cardinalis*, 154  
 Lowry, J. K., H. J. Humm, B. H.  
   Robison, B. L. Wulff,  
   and E. M. Wulff, 56-60  
*Lycopus americanus*, 150, 153  
   *virginicus*, 154  
*Lucania parva*, 263  
*Luciopimelodus pati*, 7  
*Ludwigia alterniflora*, 154  
   *paustris*, 154  
*Lyngbya semiplena*, 57  
*Lythrum lineare*, 153  
   *Sakcartia*, 154
- M  
 MacIntyre, W. G., and J. D. Boon,  
   III, 21-6  
*Macoma*, 169-71  
   *Balthica*, 166-71, 198-9  
   *phenax*, 166-71  
 Macrophytic algae, 152  
 Macroplankton, 27-8  
 Maldanid, 167  
 Management  
   striped bass  
   fishing gear, 230  
 Magnesium  
   sediments, 258  
 McErlean, A. J., S. S. Herman,  
   and J. A. Mihursky, 67-  
   82  
*Megalopa, zanthid*, 77  
*Melobius alba*, 153  
*Melosira arenia*, 152  
*Mentha arvensis*, 153-4  
*Mephitis nigra nigra*, 205  
*Mesoleius tenthredinis*, 143
- Mercenaria*, 241  
   *mercenaria*, 198  
*Merismopedia* sp., 152  
 Meroplankton, 27  
   environmental factors and sam-  
   pling success, 34-40  
   hydrographic climate, 30-4  
*Micropogon undulatus*, 208  
*Micropterus dolomieu*, 87  
   *salmoides*, 87, 89, 91  
 Migration patterns  
   striped bass, 222-4  
 Mihursky, J. A., S. S. Herman, and  
   A. J. McErlean, 67-82  
*Mikania scandens*, 149-50, 152-3  
 Milfoil  
   See Eurasian water milfoil  
 Mizejewski, G. J., and G. M.  
   Ramm, 233-7  
*Mnemiopsis*, 44  
   *leidy*, 39-41, 75, 77  
*Mogula*, 171  
   sp., 167  
*Moxostoma macrolepidotum*, 89  
*Mugil*, 203  
   *cephalus*, 203  
   *curaema*, 203  
*Mulinia*, 168  
   *lateralis*, 167-8  
 Mullet  
   striped, 202-4  
 Murdoch, M. B., L. K. Thomas,  
   and R. B. Williams,  
   42-51  
*Mya*, 166, 168-70  
   *arenaria*, 166-9, 171, 198  
*Myocastor coypus*, 138  
   *bonariensis*, 138  
*Myosotis laxa*, 154  
*Myrica Gale*, 153  
*Myriophyllum spicatum*, 173  
 Mysid, 77  
*Mytilus edulis*, 57
- N  
*Najas* spp., 178  
 Nauplii, barnacle, 77  
*Nemalion multifidum*, 59  
*Nemertea* sp., 167  
*Nemopsis bachei*, 75, 77  
*Neomysis americana*, 75-7  
*Neohaustorius schmitzi*, 158-61  
*Nereis diversicolor*, 170  
   *succinea*, 166-71  
*Nitella* spp., 178  
 Nitrate  
   Patuxent River, 73, 79  
*Noctiluca*, 202  
   sp., 202  
 Norcross, J. J., and W. G. Smith,  
   207-16  
 Northern puffer  
   toxicity, 136-7  
*Notemigonus crysoleucas*, 87, 89-92  
*Notropis amoenus*, 91  
   *analostanus*, 87, 89-91  
   *cornutus*, 87, 90-1  
   *hudsonius*, 87  
   *procnæ*, 87, 89-91  
   *rubellus*, 87, 90

- Noturus gyrinus*, 87, 89, 91  
*insignis*, 87  
 Nudibranch, 264-5  
   cuthoid, 265  
   eolid, 264  
   genitalia, 264-5  
   jaws, 264  
   radula, 264  
   taxonomy, 264-5  
   sp., 75  
 Nutria  
   occurrence in Western Maryland, 138-9  
 Nutrients  
   Patuxent River, 72-3  
*Nuphar advena*, 151-2, 154  
*Nyssa sylvatica*, 204
- O**
- Odum, W. E., 202-4  
*Odostomia bisuturalis*, 167-8  
   *trifida*, 167  
*Oikopleura*, 45  
*Oithona*, 79  
   *brevicornis*, 75-6  
*Oodinium cyprinodontum*, 263  
*Opsanus tau*, 1, 182, 249-53  
*Orontium aquaticum*, 154  
 Osteology  
   flounder, 109-20  
     branchiocranium, 112-5  
     external trunk meristic characters, 114-5  
     neurocranium, 111-2  
     trunk section, 115-9  
 Ostracod, 75  
 Oyster toadfish, 1  
   (see also toadfish)
- P**
- Pachycheles*, 128-9  
   *rudis*, 121  
*Paquridae*, 18-9  
*Paqurus* sp., 13  
   *bernhardus*, 9, 15  
   *longicarpus*, 9-16, 18  
   *ochotensis*, 9  
   *pollicaris*, 10, 12-6, 18  
*Palaemonetes vulgaris*, 75, 77  
*Panicum virgatum*, 149-51, 153  
*Parahaustorius longimerus*, 158-9, 161  
*Paralichthys*, 111-4  
   sp., 27, 30, 35, 38, 40-1  
   *albigutta*, 34-5, 38, 109, 111, 113-20  
   *dentatus*, 34-5, 38, 40-1, 109-10, 112-20  
   *lethostigma*, 34-5, 38, 40, 109-110, 113-20  
 Parasitic dinoflagellate, 263  
 Patuxent River  
   environmental characteristics, 70-3, 78-9  
   plant distribution, 148-52, 155  
   sewage, 84-5  
   water quality, 78, 147, 152-5  
   zooplankton, 67-81  
*Pectinaria gouldi*, 167  
*Peltandra virginica*, 149-53
- Penaus* sp., 27, 30, 35, 40  
   *aztecus*, 35, 37-40  
   *duorarum*, 35, 37-41  
*Peprius alepidotus*, 81  
*Perca flavescens*, 87, 89, 91  
*Percina peltata*, 87  
 Perkins, F. O., 198-202  
*Petalonia fascia*, 58-9  
*Petrocheles*, 121  
   *spinosis*, 121, 127  
*Petrolisthes*, 121, 128-9  
   *armatus*, 121, 129  
   *elongatus*, 127, 129  
   *erionerus*, 121  
   *novaezelandiae*, 127, 129  
 Petteway, E. N., and D. E. Wolfe, 99-102
- pH  
   sediments, 257  
   sewage, 86-8, 90-1  
 Phaeophyta, 58  
 Phosphate  
   accumulation, clam, 243, 246-7  
   Patuxent River, 73, 79  
 Phosphorus, 32, 246-7  
   sediments, 258  
*Phragmites communis*, 149, 151, 153  
*Phytophthora infestans*, 198  
 Phytoplankton, 42, 44, 48-50  
   metabolism, 48-9  
*Pilea pumila*, 151-2, 154  
*Pisidia*, 121, 128-9  
   *bluteli*, 127  
   *longicornis*, 121, 127  
 Plant distribution, vascular  
   Patuxent River, 148-152, 155  
*Plectonema terebrans*, 57  
*Pleuroncodes plaipes*, 128  
*Pluchea camphorata*, 153  
*Podon polyphemoides*, 75-7  
 Polychaete, 17  
*Polydora ciliata*, 167  
   *ligni*, 167, 171  
*Polygonum* sp., 84  
   *arifolium*, 150-3  
   *punctatum*, 149-50, 152-3  
   *sagittatum*, 151-3  
*Polykiros* cf. *kofoidii*, 202  
*Polymesoda caroliniana*, 100  
*Polyonyx*, 128  
   *gibbesi*, 121, 128-9  
   *macrocheles*, 121  
   *quadriungulatus*, 121  
*Polypterus*, 113  
*Polysiphonia denudata*, 58, 59  
   *harveyi*, 58-9, 152  
   *novae-angliae*, 58-9  
   *subtilissimia*, 152  
   *urceolata*, 58-9  
*Pomoxis nigromaculatus*, 89  
*Pontederia cordata*, 150-1, 153  
*Porcellana*, 121, 128-9  
   *platycheles*, 121, 127  
   *sayana*, 121, 128  
 Porcupine  
   occurrence in Western Md., 138  
*Poronotus tricanthus*, 81  
*Porphyra*, 59  
   *leucosticta*, 58-9  
   *umbilicalis*, 58-9
- Polomogeton crispus*, 178  
   *pectinatus*, 174  
   *perfoliatus*, 152, 174  
   *pusillus*, 178  
*Pristiphora erichsonii*, 142  
*Protohaustorius deichmannae*, 158, 160  
*Pseudodiaptomus coronatus*, 75-6  
*Pteridium aquilinum*, 204  
*Ptilimnium capillaceum*, 151-3
- Q**
- Quercus* sp., 204
- R**
- Rabin, H., S. Bayley, and C. H. Southwick, 173-81  
 Ramm, G. M., and G. J. Mizejewski, 233-7  
*Rangia*, 99-101, 238-9, 243, 246-8  
   *cuneata*, 99-101, 238, 240-2, 245-7  
 Rappleye, R. D., R. R. Anderson, and R. G. Brown, 145-56  
 Red tide, 202  
 Regional fisheries  
   scup, 208  
*Retusa canaliculata*, 168  
*Rhinichthys atratulus*, 87, 89-91  
   *calaractae*, 87, 89  
*Rhithropanopeus harrisi*, 75, 77, 167-91, 171  
 Rhodophyta, 57  
 Roanoke River  
   striped bass, 217-8  
 Roberts, M. H., Jr., 9-20, 121-30  
 Robinson, P. F., and F. J. Schwartz, 136-7  
 Robison, B. H., H. J. Humm, J. K. Lowry, B. L. Wulff, and E. M. Wulff, 56-60  
*Roccus americanus*, 77, 87  
   *saxatilis*, 77, 217, 227  
*Rorippa islandica*, 154  
*Rosa palustris*, 153  
*Rumex crispus*, 153  
   *verticillatus*, 153  
*Ruppia maritima*, 152, 174
- S**
- Sagitta*, 45  
   *elegans*, 75-6  
*Sagittaria latifolia*, 152, 154  
 Salinity  
   Patuxent River, 71-2, 78  
   tolerance  
     fish, 106  
 Salt front  
   Patuxent River, 147, 152, 154  
*Samolus parviflorus*, 153  
*Sassafras albidum*, 204  
*Saururus cernuus*, 153  
*Schizothrix calcicola*, 57  
 Schwartz, F. J.,  
   and A. W. Kendall, 130-8  
   and P. F. Robinson, 136-7  
 Schubel, J. R., 131-5  
*Scirpus* sp., 84  
   *americanus*, 148-51  
   *cyperinus*, 150, 152-3

*fluviatilis*, 154  
*Olneyi*, 153  
*robustus*, 153  
*validus*, 152-3  
*Scoloplos fragilis*, 168  
 Scup, 207-216  
   age-growth analysis, 211  
   catch size composition, 210-1  
   catch trends,  
     Virginia, 208-9  
   length-weight relationship, 211-2  
   regional fisheries, 208  
   sex ratio, 212  
   trawl fishery methods,  
     Virginia, 209  
*Scytosiphon lomentaria*, 58-9  
 Sea bass, 208  
 Sediment discharge  
   Susquehanna River, 131-5  
 Sediments  
   calcium, 258  
   carbon  
     inorganic, 257  
     organic, 257  
   chemistry, 254-60  
   Chesapeake Bay, 254-60  
   clam, 238-48  
   clay silt, 239-42  
   col. r, 257  
   Eh, 257  
   grain size, 255, 257  
   iron, 258  
   magnesium, 258  
   nitrogen, 258-9  
   optical grainsize, 261-2  
   pH, 257  
   phosphorus, 258  
   potassium, 258  
   sand, 239-42  
   sodium, 258  
   structure, 257  
   texture, 255, 257  
 Semiaquatic smartweed, 84  
*Semotilus atromaculatus*, 89-90  
*corporalis*, 87, 89-91  
 Sewage  
   chlorination, 83-4  
   conductivity, 86-8, 90-1  
   DO, 83, 86-8, 90-2  
   fish, 83-92  
   fish population recovery, 90  
   Patuxent River, 84-5  
   pH, 86-8, 90-1  
   reduction in fish population,  
     86-90  
   species shift, 90  
   toxicity, 83-4  
 Sex ratio  
   scup, 212  
   striped bass, 226-8  
 Sexual dimorphism  
   toadfish, 250-1  
 Shenk, W. D. and M. A. Silver, 1-8  
 Shrimp larvae, 77  
 Silicate  
   Patuxent River, 73, 78-9  
 Silver, M. A. and W. D. Shenk, 1-8  
 Sindermann, C. J. and G. E.  
   Krantz, 94-8  
*Sium suave*, 154

Size composition  
   striped bass, 224-6  
*Smilax* sp., 204  
*Skeletonema*, 49  
 Smith, W. G. and J. Norcross,  
   207-16  
 Southern flounder, 109  
 Southwick, C. H., S. Bayley and  
   H. Rabin, 173-81  
*Sparganium eurycarpum*, 152, 154  
*Spartina*, 203  
   *alterniflora*, 148-51, 153  
   *cynosuroides*, 149, 150-1, 153  
   *patens*, 149, 153  
 Species shift, sewage, 90  
*Sphaeroides maculatus*, 136  
*Spilogale putorius putorius*, 204  
 Spotted skunk, 204-5  
*Stenotomus chrysops*, 207  
 Striped bass, 217-31  
   age composition, 224-6  
   gill net  
     harvest efficiency, 228  
     selection, 220-2  
   management, 228-30  
   catch limit, 229  
   closed fishing areas, 229  
   fishing gear prohibitions, 230  
   open and closed seasons, 229  
   size limit, 229  
   migration patterns, 222-4  
   Roanoke River, 217-8  
   sex ratio, 226-8  
   size composition, 224-6  
 Striped mullet, 202-4  
 Summer flounder, 109  
 Susquehanna River  
   sediment discharge, 131-5  
 Swartz, R. C. and W. A. Van  
   Engel, 249-253

## T

Taxonomy, nudibranch, 264-5  
 Temperature  
   Patuxent River, 70-1, 78  
   tolerance  
     fish, 106  
 Tenore, K. R., D. B. Horton and  
   T. W. Duke, 238-48  
*Teucrium canadense*, 149, 153  
*Thalassia*, 161  
 Thermal additions  
   zooplankton, 68  
 Thøerig, T. and D. M. Harman,  
   138-9  
 Thomas, L. K., M. B. Murdoch  
   and R. B. Williams,  
   42-51  
 Toadfish, 1-7, 249, 251-2  
   axillary glands, 182-97  
   blood sugar-temperature relation,  
     1-7  
   girth, 249-53  
   growth, 252-3  
   length, 249-53  
   weight, and girth relations,  
     249-53  
   sexual dimorphism, 250-1  
   weight, 249-53

Tolerance  
   salinity  
     white catfish, 103-8  
   temperature  
     white catfish, 103-8  
 Toxicity  
   northern puffer, 136-7  
   sewage, 83-4  
 Trawl fishery methods, Virginia  
   scup, 209  
 Trent, L. and W. W. Hassler,  
   217-32  
*Trillium* sp., 204  
*Trineptis klugii*, 143  
 Tsai, Chu-fa, 83-93  
*t*-test, 244-5, 247  
 Turbidity  
   Patuxent River, 72, 78  
*Typha angustifolia*, 150-4

## U

*Uca* sp., 19  
*Ulua*, 17, 39  
*lactuca*, 59, 152  
*Umbra pygmaea*, 87-9, 91

## V

*Vaccinium* sp., 204  
*Vallisneria americana*, 174, 177-8  
 Van Engel, W. A. and R. C.  
   Swartz, 249-253  
 Vascular plant distribution  
   Patuxent River, 148-52  
 Vernick, S. H. and G. B. Chapman,  
   182-97  
*Vernonia noveboracensis*, 153  
 von Bertalanffy growth curve,  
   100-1

## W

Water milfoil  
   see Eurasian water milfoil  
 Water quality,  
   Patuxent River, 78  
   24-hour measurements, 147-8,  
     154-5  
   salt front, 147, 152, 154  
 Waterweed, 84  
 Weight change  
   fish, 105-7  
 Weight, girth, and length relations  
   toadfish, 249-53  
 White catfish, 103  
 Williams, A. B. and E. E. Deubler,  
   27-41  
 Williams, R. B., M. B. Murdoch  
   and L. K. Thomas, 42-51  
 Wolfe, D. E. and E. N. Petteway,  
   99-102  
 Wolcott, W. S., C. Beirne and  
   W. M. Hall, Jr., 109-20  
 Wulff, B. L., E. M. T. Wulff, B. H.  
   Robison, J. K. Lowry  
   and H. J. Humm, 56-60  
 Wulff, E. M. T., H. J. Humm, J.  
   K. Lowry, B. H. Robi-



- son and B. L. Wulff,  
56-60
- X**
- Xanthid Zoea, 77  
  megalopa, 77
- Y**
- Young, D. K., 254-60
- Z**
- Zannichella palustris*, 174  
Zinc, 65, 243-7  
*Zizania aquatica*, 154  
*Zizaniopsis miliacea*, 154  
Zoea, Xanthid, 77  
Zooplankton, 42-50, 67-70, 73-7,  
  79-81  
  coelenterate, relationship, 80  
  composition, 44-5  
  ctenophore, relationship  
  importance, 49-50  
  metabolism, 48-9  
  nutrients, 67  
  Patuxent River, 67-81  
  salinity, 67  
  seasonal distribution, 67  
  standing crop, 44-9  
  thermal additions, 68  
Zoospores, 198-9  
  structure, 198-201  
*Zoothamnium*, 74  
*Zostera*, 40

